



200

~~150~~ Students Can't Be Wrong!

GamesCrafters, a Computational Game Theory Undergraduate
Research and Development Group at UC Berkeley

2007-11-13 @ 12:00-13:00 EST in Theatre 3 ICT, 111 Barry St, Carlton, Australia

Dan Garcia, Ph.D.

Lecturer SOE, EECS Dept, UC Berkeley
(on Sabbatical in Melbourne until 2008)

www.cs.berkeley.edu/~ddgarcia/



Student Groups

www.cs.berkeley.edu/~ddgarcia/

Problems

- Nothing to offer to your A+ students after course
- Faculty-student interaction limited
- Students don't know how to bootstrap into research projects
- Few opportunities for students to shine
- Research, development, art itches not scratched!

Solution!

- Offer student groups that fit your interest
- Students can register as "group meeting" or "research project"
- Meet in the evenings so scheduling easy
- Students can register over and over, choosing bigger projects
- 3 groups founded in '01



What is "Game Theory"?

www.cs.berkeley.edu/~ddgarcia/eyawtkagtbwata

Combinatorial

- Sprague and Grundy's 1939 *Mathematics and Games*
- Board games
- Nim, Domineering, dots and boxes
- Film: *Last Year in Marienbad*
- Complete info, alternating moves
- Goal: **Last move**

Computational

- R. C. Bell's 1988 *Board and Table Games from many Civilizations*
- Board games
- Tic-Tac-Toe, Chess, Connect 4, Othello
- Film : *Searching for Bobby Fischer*
- Complete info, alternating moves
- Goal: **Varies**

Economic

- von Neumann and Morgenstern's 1944 *Theory of Games and Economic Behavior*
- Matrix games
- Prisoner's dilemma, auctions
- Film : *A Beautiful Mind* (about John Nash)
- **Incomplete** info, simultaneous moves
- Goal: Maximize payoff







What board games do you mean?

- No chance, such as dice or shuffled cards
- Both players have **complete information**
 - No hidden information, as in Stratego & Magic
- Two players (Left & Right) usually alternate moves
 - Repeat & skip moves ok
 - Simultaneous moves not ok
- The game can end in a pattern, capture, by the absence of moves, or ...




Basic Definitions

- Games are graphs
 - Position are nodes
 - Moves are edges
- We **strongly solve** game by visiting every position
 - "Playing" every game ever
- Each position is (for player whose turn it is)
 - Winning (\exists losing child)
 - Losing (All children winning)
 - Tieing (\exists losing child, but \exists tieing child)
 - Drawing (can't force a win or be forced to lose)



Example: Tic-Tac-Toe

- Rules (on your turn):
 - Place your X or O in an empty slot on 3x3 board
- Goal
 - If you make 3-in-a-row first in any row / column / diag, win
 - Else if board is full with no 3-in-row, tie
- Misère is tricky
 - 3-in-row LOSES
 - Pair up and play now, then swap who goes 1st




Values Visualization for Tic-Tac-Toe



Tic-Tac-Toe Answer Visualized!

- Recursive Values
Visualization Image
- Misère Tic-tac-toe
 - Outer rim is position
 - Inner levels moves
 - Legend
 - Lose
 - Tie
 - Win



Misère Tic-Tac-Toe 2-ply Answer



Computational Game Theory

- Large games
 - Can theorize strategies, build AI systems to play
 - Can study endgames, smaller version of orig
 - Examples: Quick Chess, 9x9 Go, 6x6 Checkers, etc.
 - Can put 18 years into a game [Schaeffer, Checkers]
- Small-to-medium games
 - Can have computer strongly solve and...
 - Play against it and teach us strategy
 - Allow us to test our theories on the database, analysis
 - Analyze human-human game and tell us where we erred!
 - Big goal: *Hunt Big Game* – those not solved yet
 - I wrote **GAMESMAN** in 1988 (almost 20 yrs ago!),
the basis of my GamesCrafters research group



GamesCrafters

GamesCrafters.berkeley.edu

- Undergraduate Computational Game Theory Research Group
- 140 students since 2001
 - We now average 40/semester!
 - They work in teams of 2+
- Most return, take more senior roles (sub-group team leads)
 - Maximization (bottom-up solve)
 - Oh, DeepaBlue (parallelization)
 - GUI (graphical interface work)
 - Retro (GUI refactoring)
 - Architecture (core)
 - New/ice Games (add / refactor)
 - Documentation (games & code)





Lines of Code:

8K Java
80K Tcl/Tk
155K C

GamesCrafters

GamesCrafters.berkeley.edu

- Projects span CS areas
 - AI : Writing "intelligent" players
 - DB: How do we store results?
 - HCI: Implementing interfaces
 - Graphics: Values visualizations
 - SE: Lots of SE juice here, it's big!
 - Defining & implementing APIs
 - Managing open source SW
 - OS: We have our own VM
 - Also eHarmony & net DB
 - PL: We're defining languages to describes games and GUIs
 - THY: Lots of combinatorics here: position & move hash functions
- Perennial Open Day favorite!
- "Research and Development can be fun?!"



200 Students Can't Be Wrong! : GamesCrafters

10/12

Alumni Feedback

- Student feedback (2006 Student report)
 - Problem:
"Undergrads find it hard to participate in research"
 - Solution:
"Create more activities like [Dan's groups]"
- *"I learned more about real software engineering in GamesCrafters than in my CS classes combined"*
- *"It pulled together all of the theoretical concepts from the various CS classes in providing my first practical application of my degree. Everything I learned in class was also present in GamesCrafters."*
- *"The experience prepared me for a career in software development in ways that my CS classes never could."*
- *"GamesCrafters was the defining institution of my undergraduate career at Cal."*



Conclusion

GamesCrafters.berkeley.edu

- GamesCrafters
 - 200 Alumni
 - 65 Games
 - Almost 250K LoC
 - GAMESMAN open source, download!
- Meta take-away
 - Think of itches you need scratching; form an undergrad group!
 - Ruby on Rails
 - ACM Prog. Contest
 - ... you fill in the blank!



2007Sp GamesCrafters

