

A Volumetric Method for Building Complex Models from Range Images

Brian Curless

Marc Levoy



Computer Graphics Laboratory
Stanford University

Introduction

Goal

Given a set of aligned, dense range images, we want to reconstruct a manifold that closely approximates the surface of the original model.

Desirable Properties

- Representation of range uncertainty
- Utilization of all range data
- Incremental and order independent updating
- Time and space efficiency
- No restrictions on topological type
- Robustness
- Ability to fill holes in the reconstruction

Previous work

From unorganized points


- Parametric (polygonal)
- Edelsbrunner92, Boissonat94
- Implicit (volumetric)
- Hoppe92, Bajaj95


From range surfaces

- Parametric (polygonal)
 - Turk94, Rutishauser94, Soucy95
- Implicit (volumetric)
 - Grosso88, Succi90, Hilton96

Volumetric method

- For a set of range images, R_1, R_2, \dots, R_N , we construct signed distance functions $d_1(\mathbf{x}), d_2(\mathbf{x}), \dots, d_N(\mathbf{x})$.
- We combine these functions to generate the cumulative function, $D(\mathbf{x})$.
- We extract the desired manifold as the isosurface, $D(\mathbf{x}) = 0$.









Surfaces

Scan #1



Scan #2




Combination





Isosurface
extraction


Distance
Functions



+



Least squares solution



Error per point

$$E(f) = \sum_{i=1}^N \int d_i^2(x, f) dx$$

Error per range surface

Finding the $f(x)$ that minimizes E yields the optimal surface.

This $f(x)$ is exactly the zero-crossing of the combined signed distance functions.

Hole filling

We have presented an algorithm that reconstructs the observed surface. Unseen portions appear as holes in the reconstruction.


A hole-free mesh is useful for:

- Fitting surfaces to meshes
- Manufacturing models (e.g., stereolithography)
- Aesthetic renderings

We can fill holes in the polygonal model directly, but such methods:


- are hard to make robust
- do not use all available information

Without space carving



Sensor

With space carving



■ Unseen


■ Empty

■ Near surface

▲
Sensor


Carving *without* a backdrop

Scanning scenario



∇ Sensor


Volumetric slice



∇


Carving with a backdrop

Scanning scenario



∇ Sensor

Volumetric slice



∇

Typical data size

- 60 scans
- 10 million input vertices
- 100 million voxels

Software optimizations


- Run-length encoded data structures
- Memory coherent traversal
- Binary depth trees
- Restricted marching cubes

Results


We have tested the algorithm on several models to explore:

- Robustness (drill bit)
- Effectiveness of hole filling (dragon)
- Attainable level of detail (Happy Buddha)

Drill bit



Side view of drill bit



Plan view with
sensing directions

Plan view


Unorganized
points




Range
surfaces



Zippered
mesh




Volumetric
mesh




Side view



Photograph of
painted drill bit




Zippered
mesh




Volumetric
mesh

Dragon


1.
No hole
filling



2.
Hole filling
without
backdrop



3.
Hole filling
with
backdrop



4.
Smoothed






Close-up
of the belly



Volumetric
slices

1





Gap

2



Uncarved

3



4



Happy Buddha: from original...



Original
model

Painted
original

Range
surface

...to hardcopy



Before
hole filling

After
hole filling

Hardcopy

Data sizes for Happy Buddha

Number of scans: 60

Input triangles: 10 million

Voxel grid: 400x1000x400

Storage: 640 MB w/o RLE
49 MB w/ RLE

Output triangles: 2.6 million (55 MB)

Execution times for Happy Buddha

Time to scan: 1-2 hours

Time to align: 3-4 hours

Time to merge: 47 min. (w/o hole fill)

3 hr 17 min. (w/ hole fill)

Total time: 5-10 hours

Limitations

- Optical scanning
 - Surface points must be accessible
 - Surface reflectance affects results
- Volumetric algorithm
 - Thin surfaces and sharp corners

Future work

- Carving from video/image silhouettes
- Next best view, including backdrops
- Large-scale scenes
- Surface color acquisition

Acknowledgments

David Addleman, George Dabrowski... Cyberware scanner
Julie Dorsey, Pat Hanrahan... Rendering tips
Homan Igehy... Triangle rasterizer
Phil Lacroute... Optimization suggestions
Bill Lorensen... Marching cubes tables
Tamara Munzner... Video production
Matt Pharr... Accessibility shader
Afra Zomorodian... Scanning script engine

Check it out...

Now available:

- Software
- Range data
- Surface reconstructions

Go to:

<http://www-graphics.stanford.edu/software>