

Bayes Filters

Pieter Abbeel

UC Berkeley EECS

Many slides adapted from Thrun, Burgard and Fox, Probabilistic Robotics

Actions

- Often the world is **dynamic** since
 - **actions carried out by the robot,**
 - **actions carried out by other agents,**
 - or just the **time** passing bychange the world.

- How can we **incorporate** such **actions**?

Typical Actions

- The robot **turns its wheels** to move
- The robot **uses its manipulator** to grasp an object
- Plants grow over **time...**

- Actions are **never carried out with absolute certainty.**
- In contrast to measurements, **actions generally increase the uncertainty.**


Modeling Actions

- To incorporate the outcome of an action u into the current “belief”, we use the conditional pdf

$$P(x|u,x')$$


- This term specifies the pdf that **executing u changes the state from x' to x .**

Example: Closing the door



State Transitions

$P(x|u,x')$ for $u = \text{“close door”}$:



If the door is open, the action “close door” succeeds in 90% of all cases.

Integrating the Outcome of Actions

Continuous case:

$$P(x | u) = \int P(x | u, x') P(x') dx'$$

Discrete case:

$$P(x | u) = \sum P(x | u, x') P(x')$$

Example: The Resulting Belief

$$\begin{aligned}P(\textit{closed} \mid u) &= \sum P(\textit{closed} \mid u, x')P(x') \\ &= P(\textit{closed} \mid u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{closed} \mid u, \textit{closed})P(\textit{closed}) \\ &= \frac{9}{10} * \frac{5}{8} + \frac{1}{1} * \frac{3}{8} = \frac{15}{16}\end{aligned}$$

$$\begin{aligned}P(\textit{open} \mid u) &= \sum P(\textit{open} \mid u, x')P(x') \\ &= P(\textit{open} \mid u, \textit{open})P(\textit{open}) \\ &\quad + P(\textit{open} \mid u, \textit{closed})P(\textit{closed}) \\ &= \frac{1}{10} * \frac{5}{8} + \frac{0}{1} * \frac{3}{8} = \frac{1}{16} \\ &= 1 - P(\textit{closed} \mid u)\end{aligned}$$

Measurements

- Bayes rule

$$P(x|z) = \frac{P(z|x) P(x)}{P(z)} = \frac{\text{likelihood} \cdot \text{prior}}{\text{evidence}}$$

Bayes Filters: Framework

- **Given:**

- Stream of observations z and action data u :

$$d_t = \{u_1, z_1 \dots, u_t, z_t\}$$


- Sensor model $P(z|x)$.
- Action model $P(x|u, x')$.
- Prior probability of the system state $P(x)$.

- **Wanted:**

- Estimate of the state X of a **dynamical system**.
- The posterior of the state is also called **Belief**:

$$Bel(x_t) = P(x_t | u_1, z_1 \dots, u_t, z_t)$$

Markov Assumption



$$p(z_t | x_{0:t}, z_{1:t-1}, u_{1:t}) = p(z_t | x_t)$$

$$p(x_t | x_{1:t-1}, z_{1:t-1}, u_{1:t}) = p(x_t | x_{t-1}, u_t)$$

Underlying Assumptions

- Static world
- Independent noise
- Perfect model, no approximation errors

Bayes Filters

z = observation
 u = action
 x = state

$$\text{Bel}(x_t) = P(x_t | u_1, z_1, \dots, u_t, z_t)$$

Bayes $= \eta P(z_t | x_t, u_1, z_1, \dots, u_t) P(x_t | u_1, z_1, \dots, u_t)$

Markov $= \eta P(z_t | x_t) P(x_t | u_1, z_1, \dots, u_t)$

Total prob. $= \eta P(z_t | x_t) \int P(x_t | u_1, z_1, \dots, u_t, x_{t-1})$
 $P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

Markov $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, u_t) dx_{t-1}$

Markov $= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) P(x_{t-1} | u_1, z_1, \dots, z_{t-1}) dx_{t-1}$

$$= \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) \text{Bel}(x_{t-1}) dx_{t-1}$$

$$Bel(x_t) = \eta P(z_t | x_t) \int P(x_t | u_t, x_{t-1}) Bel(x_{t-1}) dx_{t-1}$$

1. Algorithm **Bayes_filter**($Bel(x), d$):

2. $\eta = 0$

3. If d is a **perceptual** data item z then

4. For all x do

5.
$$Bel'(x) = P(z | x) Bel(x)$$

6.
$$\eta = \eta + Bel'(x)$$

7. For all x do

8.
$$Bel(x) = \eta^{-1} Bel'(x)$$

9. Else if d is an **action** data item u then

10. For all x do

11.
$$Bel'(x) = \int P(x | u, x') Bel(x') dx'$$

12. Return $Bel'(x)$

Example Applications



- Robot localization:
 - Observations are range readings (continuous)
 - States are positions on a map (continuous)
- Speech recognition HMMs:
 - Observations are acoustic signals (continuous valued)
 - States are specific positions in specific words (so, tens of thousands)
- Machine translation HMMs:
 - Observations are words (tens of thousands)
 - States are translation options

Summary

- Bayes rule allows us to compute probabilities that are hard to assess otherwise.
- Under the Markov assumption, recursive Bayesian updating can be used to efficiently combine evidence.
- Bayes filters are a probabilistic tool for estimating the state of dynamic systems.

Example: Robot Localization

*Example from
Michael Pfeiffer*




Sensor model: never more than 1 mistake

Know the heading (North, East, South or West)


Motion model: may not execute action with small prob.

Example: Robot Localization



Lighter grey: was possible to get the reading, but less likely b/c required 1 mistake

Example: Robot Localization



Prob




0

1

t=2

Example: Robot Localization



Prob




0

1

$t=3$

Example: Robot Localization




Prob

0

1

$t=4$

Example: Robot Localization



Prob

0

1

$t=5$